

CE

ZFR EV AP 560 K5 - HIGH AIRFLOW DUST COLLECTOR





CERAMICS AND POTTERY INDUSTRIES





- ✓ Largest surface filter in its category
- ✓ Integrated filter cleaning system
- ✓ Extractable collection container with optional use of disposable bags
- ✓ High air flow value

- ✓ Full customization for specific needs
- ✓ Conceived for the suction of fine dusts suspended in the air
- ✓ Optional articulated arm to suction in a restricted area

SUCTION UNIT		
Voltage	V - Hz	400 - 50 3~
Power	kW	5,5
Electrical protection	IP	55
Suction inlet	mm	200
Max water lift	mmH0	470
Max water lift	mmH0	470
Max air flow	m³/h	3000
FILTER UNIT		
Filter Type		Star
Cleaning system		Manual
Material - Efficiency	IEC 60335-2-69	Polyester - ANT M
Capacity	Ι	100
VOLUME		
Dimensions	cm	78x85x214
Weight	kg	130



SUCTION UNIT

The suction unit is made of an electric fan which guarantees elevated air flow.

FILTER UNIT

It is possible to clean the filter using an integrated mechanical system: an external lever shakes the filter vertically and enables to clean the filter thoroughly and safely, maintaining constant suction performance and preventing any dispersion of dust in the environment. The large surface star antistatic filter, located inside the filter chamber, is made of polyester and provides high resistance against clogging and passage of fine dust.

Sollection Unit

The detachable AISI 304 steel collection tank has a quick release system for the rapid disposal of the vacuumed material.

- ✓ ABSOLUTE HEPA FILTER /H14
- ✓ EARTH GROUNDING
- ✓ OTHER VOLTAGES AND FREQUENCIES AVAILABLE UPON REQUEST
- ✓ ATEX CERTIFICATION
- EXTRACTION ARM
- ✓ STAINLESS STEEL COLLECTION TANK
- ✓ STAINLESS STEEL TANK AND FILTER CHAMBER
- ✓ REMOTE CONTROL