



MTL 301 1/3D - ATEX EXPLOSION PROOF



ADDITIVE MANUFACTURING



- ✓ Compact and mobile
- ✓ Easy filter replacement
- ✓ Earth grounding
- ✓ Easy to clean and to maintain
- ✓ Accessory kit included
- ✓ Stainless steel AISI304 collection tank
- ✓ Vacuum powerhead Ex tb Dust Tight IP64 certified
- ✓ ATEX accessories and non-metallic parts tested

SUCTION UNIT

Atex zones	ATEX Z20/22	
Voltage	V - Hz	230 - 50/60 1~
Power	kW	1,1
Max water lift	mmH ₂ O	2.500
Max air flow	m ³ /h	215
Suction inlet	mm	50
Noise level (EN ISO 3744)	dB(A)	74
Marking	II 1/3D Ex h tb IIIC T80°C (Int) /T95°C (ext) Da/Dc	

FILTER UNIT

Filter Type	Star	
Surface - Diameter	cm ² -mm	4.000 - 360
Material - Efficiency	IEC 60335-2-69	Polyester - ANT M

COLLECTION UNIT

Capacity	l	40
----------	---	----

VOLUME

Dimensions	cm	44x42x84h
Weight	kg	26

COPYRIGHT © 2023 DELFIN S.R.L. ALL RIGHTS RESERVED
COPYRIGHT © 2023 DELFIN S.R.L. TUTTI I DIRITTI RISERVATI



SUCTION UNIT

The suction is made by a carbon brush by-pass motor which is activated by an independent switch placed inside a robust metal motor head. The motor head is soundproofed by sound-absorbent material.



FILTER UNIT

The large surface star antistatic filter, located inside the filter chamber, is made of polyester and provides high resistance against clogging and passage of fine dust.



COLLECTION UNIT

The vacuumed material is placed inside an AISI304 stainless steel drop-down bin mounted on wheels, which makes it possible to dispose easily and safely of the vacuumed material.