

IMQ



MTL 3533 EX1/2D - ATEX EXPLOSION PROOF



OEM ORIGINAL EQUIPMENT MANUFA



СЕМЕНТ





- ✓ Side channel blower motor , powerful and silent, totally maintenance free, suitable for continuous duty
- $\checkmark\,$ Integrated filter cleaning system
- $\checkmark\,$ Pressure relief valve for motor protection
- \checkmark Compact and mobile
- ✓ ATEX certified for Zone 20 inside the chamber and for Zone 21 outside the chamber





- ✓ Conceived for fine and hazardous dust suction
- ✓ Additional HEPA filter (99,995% on 0,18 micron) included
- ✓ Stainless steel AISI304 collection tank
- ✓ ATEX accessories and non-metallic parts tested
- $\checkmark\,$ Compliant with EN 17348: DRY TYPE

SUCTION UNIT

Power	kW	4
Electrical protection	IP	65
Max water lift	mmH⊡O	2.600
Max air flow	m³/h	320
Suction inlet	mm	80
Noise level (EN ISO 3744)	dB(A)	69
Marking		II 1/2 D Ex h IIIC T160°C Da/Db
Atex zones		1/2D (20 int/21 ext)
3%		

Filter Type	Star
Cleaning system	Manual
Secondary filter	HEPA

COLLECTION UNIT

Collection tank

Capacity	I	45
VOLUME		
Dimensions	cm	93x58x116h
Weight	kg	85

All data mentioned in this document may change without notice Tutti i dati riportati in questo documento potrebbero variare senza avviso



SUCTION UNIT

The suction unit is a side channel blower, with direct coupling between the motor and the impeller fan. It designed without any transmission system, and is therefore silent, totally maintenance free and suitable for continuous duty operations. The suction unit is ATEX certified.



It is possible to clean the filter using an integrated mechanical system: an external lever shakes the filter vertically and enables to clean the filter thoroughly and safely, maintaining constant suction performance and preventing any dispersion of dust in the environment. An antistatic polyester star filter is placed inside the steel filter chamber. This filter protects the suction unit by preventing any spark which might be caused by electrostatic discharge. A HEPA filter is included as standard (99,995% on 0,18 micron, class H) which holds the finest dusts and guarantees the cleanliness of the leaving air.

COLLECTION UNIT

The vacuum is assembled onto a sturdy steel chassis, and provided with industrial quality wheels , that make it suitable for mobile service even when used on rough surfaces. The vacuumed material is placed inside an AISI304 stainless steel drop-down bin mounted on wheels, which makes it possible to dispose easily and safely of the vacuumed material, if need be collecting it directly into a paper bag.

- ✓ STAINLESS STEEL TANK AND FILTER CHAMBER
- ✓ INTERNAL POLISHING FOR FILTER CHAMBER AND TANK
- ✓ STAINLESS STEEL COLLECTION TANK